

# INDEX MAPS.

## T. 12 N. R. 10 E. 2<sup>nd</sup> Mer.

	200	200	200	199	199	199						
202	6	223	5	217	4	213	3	210	2	206	1	198
	<del>222</del>	<del>222</del>		<del>217</del>		<del>213</del>		<del>210</del>		<del>206</del>		
202	7	222	8	216	9	213	10	209	11	205	12	198
	<del>221</del>	<del>221</del>		<del>216</del>		<del>213</del>		<del>209</del>		<del>205</del>		
202	18	221	17	216	16	212	15	208	14	205	13	198
	<del>220</del>	<del>220</del>		<del>215</del>		<del>212</del>		<del>208</del>		<del>204</del>		
201	19	220	20	215	21	211	22	208	23	204	24	197
	<del>219</del>	<del>219</del>		<del>215</del>		<del>211</del>		<del>207</del>		<del>204</del>		
201	30	218	29	214	28	211	27	207	26	203	25	197
	<del>218</del>	<del>218</del>		<del>214</del>		<del>211</del>		<del>207</del>		<del>203</del>		
201	31	217	32	214	33	210	34	206	35	203	36	197
	<del>196</del>	<del>196</del>		<del>196</del>		<del>195</del>		<del>195</del>		<del>195</del>		

## T. 13 N. R. 10 E. 2<sup>nd</sup> Mer.

	231		230		230		230		229		229	
233	6	253	5	247	4	244	3	240	2	237	1	228
	<del>252</del>		<del>252</del>		<del>247</del>		<del>244</del>		<del>240</del>		<del>236</del>	
233	7	252	8	247	9	244	10	240	11	236	12	228
	<del>251</del>		<del>251</del>		<del>253</del>		<del>243</del>		<del>239</del>		<del>236</del>	
232	18	251	17	253	16	243	15	239	14	235	13	228
	<del>250</del>		<del>250</del>		<del>246</del>		<del>240</del>		<del>239</del>		<del>235</del>	
232	19	250	20	246	21	242	22	238	23	235	24	227
	<del>249</del>		<del>249</del>		<del>246</del>		<del>242</del>		<del>238</del>		<del>234</del>	
231	30	249	29	245	28	242	27	238	26	234	25	227
	<del>248</del>		<del>248</del>		<del>245</del>		<del>241</del>		<del>237</del>		<del>234</del>	
231	31	248	32	245	33	241	34	237	35	233	36	227
	<del>226</del>		<del>226</del>		<del>226</del>		<del>225</del>		<del>225</del>		<del>225</del>	

The figures on the lines refer to the page.

Township N. 13 North, Range N. 10 East 2. Mer. Ind. 225  
ch. 1/2 lb.

South Boundary var. 6° 45' E.

Nest On S. boundary of Sec. 36

20.25 an Ash 15 in. diam.

40.00 Set of Sec. post, from which  
a Sugar 10 mi. diam. brang N 69 E 23 lb. dist. of  
a Do. 9 " " " 155 N 29 " "

62.95 a Beech 27 " "

80.00 Set post Cor. to Sec. 35 of 36, from which  
a Hickory 12 mi. diam. brang S 7 E 19 lb. dist. of  
a Sugar 12 " " " N 77 E 19 " "

Land level, good for farming, timber Beech  
Sugar, Walnut, Ash, &c. underg. Spruce & poplar.

---

Nest On S. boundary of Sec. 35

6.70 a Beech 30 in. diam.

40.00 Set of Sec. post, from which  
a Sugar 9 mi. diam. brang N 48 E 7 lb. dist. of  
a Do. 7 " " " N 15 W 15 " "

70.55 a Buckeye - " "

80.00 Set post Cor. to Sec. 34 of 35, from which  
a Red Oak 48 mi. diam. brang N 69 E 12 lb. dist. of  
a Beech 6 " " " N 75 W 27 " "  
Land level, timber Beech, Sugar, Ash &c.  
underg. Spruce, poplar, soil good

---

Nest On S. boundary of Sec. 34

6.20 a Beech 15 in. diam.

40.00 Set of Sec. post, from which  
an Ash 12 mi. diam. brang S 9 E 8 lb. dist. of  
a Sugar 8 " " " N 6 W 4 " "

52.80 a Branch 6 lb., wide Course N.W.

55.50 an Ash 21 in. diam.

77.50 a Branch 5 lb., wide Course N.W.

80.00 Set post Cor. to Sec. 33 of 34, from which  
a Cherry 12 mi. diam. brang N 40 W 19 lb. dist. of  
a Beech 10 " " " N 45 E 11 " "

226

T13 N. R10 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

Land good for farming, level, timber Beech  
Ash, Cherry, Walnut &c. undr<sup>g</sup>. Spruce &c.

Nest On S. boundary of Sec. 33

25.60 a Beech 9 in. dia.

40.00 Set of Sec. post from which  
a Beech 18 in. dia. bear N 42 E 3 lks. dist. of  
a do. 12 " " " S 74 W 27 " "

60.20 a Walnut 27 " "

80.00 Set post Cor. to Sec. 32 of 33, from which  
a Hackberry 9 in. dia. bear S 6 W 19 lks. dist. of  
a W. Beech 6 " " " North " "  
Land level, timber, Beech, Ash, Cherry, Elm  
Hackberry &c. undr<sup>g</sup>. Spruce & grape vines, rich soil

Nest On S. boundary of Sec. 32

7.50 a Creek 50 lks. wide Cor. S. W.

16.00 a Beech 30 in. dia.

40.00 Set of Sec. post, from which  
a cherry 6 in. dia. bear N E 28 lks. dist. of  
a Elm 12 " " " N 29 E 13 " "

68.10 a Poplar 84 " "

80.00 Set post, Cor. to Sec. 31 of 32, from which  
a Beech 24 in. dia. bear S 74 E 40 lks. dist. of  
a do. 10 " " " S 76 W 17 " "  
Level good farming land, timber Beech, Ash,  
Walnut, Maple &c. undr<sup>g</sup>. Spruce & leatherwood

Nest On S. boundary of Sec. 31

14.20 an Ash 24 in. dia.

30.00 a Branch - lks. wide Course South

40.00 Set of Sec. post, from which  
a Beech 6 in. dia. bear S 34 E 9 lks. dist. of  
a do. 6 " " " N 15 W 12 " "

70.95 To Township Corner. July 16. 1819

S 13 N. R 10 E. 2<sup>d</sup>. Mer. Indiana 227  
ch. lks

East Boundary var. C. 30. E  
North On E. boundary of Sec. 36. July 4<sup>th</sup> 1819  
5.54 at Beech 36 in. dia.  
40.00 at gr. Sec. post, from which  
an Ash 10 in. dia. bray S 87 W 10 lks. dist. of  
a do. 8 " " " S 40 E 26 " "  
45.37 at Blue Ash 40 in. dia.  
68.00 at Branch 12 lks. wide Course S. E.  
80.00 at post Cor. to Sec. 25 of 36, from which  
at Beech 14 in. diam. bray S 81 W 29 lks. dist. of  
a do. 8 " " " S 44 W 03 "  
Level rich land, Sugar, Beech, Ash, Elm,  
Buckeye &c. underg<sup>th</sup>. Spruce & poplar

---

North On E. boundary of Sec. 25  
5.43 at Hickory 10 in. dia.  
30.00 at Branch 12 lks. wide C. S. W.  
40.00 at gr. Sec. post, from which  
a Sugar 7 in. dia. bray N 61 E 5 lks. dist. of  
a do. 6 " " " S 29 W 13 "  
57.00 at Branch 12 lks. wide C. S. W.  
66.00 a do. 20 " " " S. W.  
59.30 an Ironwood 7 " " "  
80.00 at post Cor. to Sec. 24 of 25, from which  
at Beech 12 in. dia. bray N 10 W 12 lks. dist. of  
a do. 10 " " " S 75 W 12 "  
Land timber &c. same as on last mile

---

North On E. boundary of Sec. 24  
6.50 a Sugar 14 in. dia.  
13.00 at Branch 6 lks. wide Course S. W.  
14.00 a Wagon road S. E. of N. W.  
40.00 at gr. Sec. post, from which  
at Beech 7 in. dia. bray S 8 W 18 lks. dist. of  
a Sugar 12 " " " N 39 E 19 " "  
61.00 at Branch 20 lks. wide Course S. W.



228 T13 N10 E. 2<sup>nd</sup> Mer. Indiana  
ch. lks

65.93 a Beech 30 in. dia.

80.00 Set post Cor. to Sec. 13 of 24, from which  
a Hickory 7 in. dia. bray N27 W25 lks. dist. of  
an Ash 10 " " " S33 W27 " "  
Sand timber &c. same as on last mile

---

North On E. boundary of Sec. 13

2.88 a Hickory 24 in. dia.

36.00 a Branch 8 lks. wide Comse S.W.

37.00 a Wagon Road from S.W. to N.E.

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bray S54 W32 lks. dist. of  
a Co. 33 " " " N31 E 35 " "

52.00 a Branch 10 lks. wide Comse S.W.

54.50 a Beech 30 in. dia.

80.00 Set post Cor. to Sec. 12 of 13, from which  
a Hickory 7 in. dia. bray S62 W25 lks. dist. of  
an Ash 10 " " " N16 W14 " "

Good farming land, Sugar, Beech, Ash, Walnut  
Buckeye &c. growing, Spruce & spawpaw

Note - On the N.E. corner of Sec. 13, T13 N. R10 E,  
is a small improvement.

---

North On E. boundary of Sec. 12

8.50 a Creek 25 lks. wide Comse S.W.

16.55 an Elm 21 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 12 in. dia. bray S56 W32 lks. dist. of  
a Co. 9 " " " N33 E 20 " "

46.65 a W. Oak 18 " "

80.00 Set post Cor. to Sec. 11 of 12, from which  
an Ash 14 in. dia. bray N33 W12 lks. dist. of  
a Oak 21 " " " S60 E13 " "  
Sand timber &c. same as on last mile

---

North On E. boundary of Sec. 1

T13 N. R10 E. 2<sup>d</sup> Mer. Indiana 229

ch. lth  
 7.70 a W. ash 30 in. dia.  
 34.00 a Brook 20 lth. wide Course S.W.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in. dia. bray S 82 E 6 lth. dist. of  
 a Do. 14 " " " N 72 W 36 " "  
 68.60 Let post Cor. to Township 13 of 14 North  
 Range 10 of 11 East, from which  
 an Elm 16 in. dia. bray S 40 E 32 lth. dist. of  
 a Beech 18 " " " N 35 W 17 " "  
 Sand timber &c. same as on last mile

North Boundary var. 6° 45' E.  
 Met On S. boundary of Sec. 36, T14 N. R10 E.  
 10.26 a Poplar 42 in. dia.  
 18.00 a Branch 15 lth. wide Course S.W.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Sugar 8 in. dia. bray N 33 E 20 lth. dist. of  
 a Do. 6 " " " S 43 W 34 " "  
 49.01 a Walnut 22 " "  
 80.00 Let post Cor. to Sec. 35 of 36, from which  
 a Sugar 15 in. dia. bray S 45 W 38 lth. dist. of  
 a Hackberry 8 " " East 2 " "  
 Rolling 1<sup>st</sup> rate land, Sugar, Walnut, Beech  
 Hickory, Hackberry &c. under 1<sup>st</sup> Spruce &  
 Paropaw. July 18<sup>th</sup> 1819

Met On S. boundary of Sec. 35, T14 N. R10 E.  
 12.83 a Beech 18 in. dia.  
 30.00 a Branch 10 lth. wide Course S.W.  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Beech 7 in. dia. bray S 45 E 3 lth. dist. of  
 a Do. 9 " " " N 80 W 25 " "  
 46.75 a Hickory 20 " "  
 71.00 a Branch 10 lth. wide Course S.W.  
 80.00 Let post Cor. to Sec. 34 of 35, from which  
 a Beech 12 in. dia. bray N 79 E 19 lth. dist. of

13th N 10 E. T. Mer. Indiana  
 13th

a Sugar 14 mi. dist. by S 89 W 20 ch. dist. of  
 Rich level land, Sugar, Beech, Ash, Walnut  
 Buckeye &c. underg<sup>th</sup>. Spruce & prairie

Nest On S. boundary of Sec. 34, T4 N. R10 E

13.00 a Branch 20 ch. wide Course N.W.

18.52 a Beech 25 mi. dist.

40.00 Set of Sec. post, from which  
 a Beech 6 mi. dist. by N 18 E 11 ch. dist. of  
 a Buckeye 7 " " " S 51 W 11 " "

49.07 a Hickory 16 " "

80.00 Set post, Cor. to Sec. 33 & 34, from which  
 a Beech 6 mi. dist. by S 33 W 17 ch. dist. of  
 an Ash 25 " " " North 3 " "  
 Rolling land, Sugar, Walnut, Beech, Buckeye  
 &c. underg<sup>th</sup>. Spruce & prairie

Nest On S. boundary of Sec. 33, T4 N. R10 E

18.00 a Waggon Road Course N.E. & S.W.

22.87 a Beech 21 mi. dist.

27.00 a Branch 12 ch. wide Course N.W.

40.00 Set of Sec. post, from which  
 a Beech 20 mi. dist. by N 68 W 17 ch. dist. of  
 a Sugar 7 " " " S 45 E 13 " "

68.07 a Buckeye 18 " "

80.00 Set post Cor. to Sec. 32 & 33, from which  
 a Beech 7 mi. dist. by N 41 W 16 ch. dist. of  
 an Elm 18 " " " S 43 E 24 " "  
 Good farming land, Beech, Sugar, Elm,  
 Walnut, Buckeye &c. underg<sup>th</sup>. Spruce & prairie

Nest On S. boundary of Sec 32, T4 N. R10 E.

20.13 a Hickory 18 mi. dist.

21.50 a Creek 70 ch. wide Course S. 20 W.

40.00 Set of Sec. post, from which  
 a Buckeye 12 mi. dist. by N 51 E 28 ch. dist. of

231

S13 N N10 E. 2<sup>nd</sup> Mer. Indiana  
ch. l. l. l.

a Buckeye 8 mi. dist. bray S30 W13 l. l. dist. of  
68.32 an Ash 36 " "  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 27 mi. dist. bray S52 E12 l. l. dist. of  
a Do. 7 " " " N19 W12 " "  
Land timber &c. Same as on last mile

---

West On S. boundary of Sec. 31, S14 N N10 E.  
12.50 an Elm 15 mi. dist.

40.00 Set q. Sec. post, from which  
an Ash 16 mi. dist. bray S28 W18 l. l. dist. of  
a Sugar 16 " " " N71 E24 " "

46.15 an Ash 36 " "

67.00 a Creek 40 l. l. wide Course N. W.

75.53 Intersected the N & S. line 79<sup>3</sup> South of Semp  
6 mile post, Set post Cor. to Township 13 & 14.  
N. Range 9 & 10 East, from which  
a Sugar 9 mi. dist. bray N31 E10 l. l. dist. of  
a Do. 18 " " " S28 W14 " "  
Land timber &c. Same as on the last mile

---

West Boundary. var. 7<sup>00</sup> E.

North On E. boundary of Sec. 36, S13 N N29 E  
38.20 a Sugar 9 mi. dist.

40.00 Set q. Sec. post, from which  
a Beech 9 mi. dist. bray S60 W15 l. l. dist. of  
a Cherry 9 " " " S83 E15 " "

56.20 a Beech 20 " "

80.00 Set post Cor. to Sec. 25 & 36, from which  
a Beech 7 mi. dist. bray N40 E13 l. l. dist. of  
a Sugar 10 " " " S86 W6 " "

Level land timber Beech, Ash, Sugar, Elm &c.  
undg<sup>th</sup>. Fine soil good

---

North On E. boundary of Sec. 25, S13 N N29 E.  
5.65 a Beech 20 mi. dist.



T3 N R10 E. 2<sup>d</sup> Mer. Indiana

ch. 1/4

- 40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bray S43 W14 th. dist. of  
a do. 9 " " " N54 E27 " "
- 58.55 a Beech 12 " "
- 80.00 Set post Cor. to Sec. 24 & 25, from which  
a Beech 6 in. dia. bray S82 W24 th. dist. of  
a do. 9 " " " East 15 " "
- Level good farming land, Beech, Walnut,  
Ash, Sugar, and other<sup>th</sup> Spruce.

North On E. boundary of Sec. 24, T3 N. R9 E.

- 11.00 a Branch 15 th. wide corner S.W.
- 24.60 a do. 12 " " " S.W.
- 40.00 Set of Sec. post, from which  
a Beech 6 in. dia. bray N79 E15 th. dist. of  
a Hickory 9 " " " N38 W16 " "
- 47.80 a Beech 12 " "
- 80.00 Set post Cor. to Sec. 13 & 24, from which  
a Sugar 12 in. dia. bray N10 W18 th. dist. of  
a do. 9 " " " S22 E24 "
- Gently rolling, good for farming, Beech, Sugar  
Ash, Elm, and other<sup>th</sup> Spruce. rich soil

North On E. boundary of Sec. 13, T3 N. R9 E.

- 5.80 a Sugar 15 in. dia.
- 40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bray S62 W14 th. dist. of  
a Spanish Oak 40 " " " N40 E13 " "
- 60.40 a Branch 8 th. wide corner S.W.
- 60.70 an Ash 15 in. dia.
- 80.00 Set post Cor. to Sec. 12 & 13, from which  
an Elm 9 in. dia. bray N38 W15 th. dist. of  
a Buckeye 12 " " " N73 E24 "
- good farming land, timber Beech, ash, Sugar  
Buckeye Elm & other<sup>th</sup> Spruce

T<sup>33</sup>N. R<sup>10</sup>E. 2<sup>d</sup> Mer. Indiana 233

ch<sup>2</sup> l<sup>th</sup>  
 North On E. boundary of Sec. 12, T<sup>33</sup>N. R<sup>9</sup>E.  
 7.00 an Elm 15 in. dia.  
 36.00 a small farm  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 15 in. dia. - bray S<sup>33</sup>E 45 l<sup>th</sup>. dist. of  
 an Ash 24 " " " N<sup>85</sup>W<sup>39</sup> " "  
 70.60 Flat rock Cr. 75 l<sup>th</sup>. wide Cr. S.W.  
 80.00 Set post Cor. to Sec. 11 & 12, from which  
 a Buckeye 20 in. dia. - bray S<sup>6</sup>W<sup>19</sup> l<sup>th</sup>. dist. of  
 an Ash 6 " " " N<sup>15</sup>W<sup>10</sup> " "  
 Level land, timber Beech, Sugar, Buckeye &c.  
 under t<sup>r</sup>. Spruce, On N.W. q<sup>r</sup>. of Sec. 7. T<sup>33</sup>N. R<sup>10</sup>E.  
 there is a small improvement

---

North On E. boundary of Sec. 1, T<sup>33</sup>N. R<sup>9</sup>E  
 6.60 at Beech 10 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 8 in. dia. - bray N<sup>47</sup>W<sup>15</sup> l<sup>th</sup>. dist. of  
 a Beech 27 " " " S<sup>24</sup>E<sup>19</sup> " "  
 72.07 intersected the Town Corner  
 August 17<sup>th</sup> 1819  
 Surveyed by  
 John M. Donald,  
 Deputy Surveyor

---

Subdivision.  
 North Between Sec. 35 & 36  
 15.00 an Ash 36 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a W. Walnut 12 in. dia. - bray S<sup>28</sup>E<sup>21</sup> l<sup>th</sup>. dist. of  
 a B. Walnut 15 " " " N<sup>86</sup>W<sup>40</sup> " "  
 48.65 an Elm 15 in. dia.  
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Beech 10 in. dia. - bray N<sup>18</sup>E<sup>10</sup> l<sup>th</sup>. dist. of  
 a Co. 8 " " " N<sup>42</sup>W<sup>31</sup> " "  
 Land 1<sup>st</sup> rate, timber Ash, Walnut, Sugar &c.

234

## S. B. N. E. D. Mer. Indiana

ch. lly

East On Rand<sup>m</sup>. between Secs. 25 & 36

7.58 a Sugar 30 m. dia.

40.00 Set temp. of Sec. post

80.00 Intersected the E. boundary 68 lly. S. of post  
Land 1<sup>st</sup> rate, timber Ash, Poplar, Walnut,  
Beech &c. under g<sup>th</sup> Spruce

West Corrected between Secs. 25 &amp; 36

7.40 a Beech 12 m. dia.

40.00 Set of Sec. post, from which  
a Beech 24 m. dia. bear S 32° W 26 lly. dist. of  
an Ash 15 " " " N 55° E 11 " "

80.00 to Sec. Corner.

North Between Secs. 25 &amp; 26

6.10 a Hackberry 20 m. dia.

40.00 Set of Sec. post, from which  
a Beech 4 m. dia. bear N 33° E 30 lly. dist. of  
a do. 10 " " " S 40° W 29 " "

49.50 a Sugar 12 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 36, from which  
an Ironw<sup>d</sup>. 4 m. dia. bear N 12° W 15 lly. dist. of  
a Sugar 8 " " " S 11° W 25 " "  
Land timber &c. same as on last mile  
September 11<sup>th</sup> 1819East On Rand<sup>m</sup>. between Secs. 24 & 25

13.67 a Sugar 12 m. dia.

40.00 Set temp. of Sec. post

80.50 Intersected E. boundary 16 lly. S. of post  
Land timber &c. same as on last mile

West Corrected between Secs. 24 &amp; 25

5.33 a Beech 12 m. dia.

40.25 Set of Sec. post at average dist. from which  
a Beech 4 m. dia. bear S 25° W 35 lly. dist. of

S 13 N N 10 E. 2<sup>d</sup>. Mer. Indiana 235  
ch. lth.  
an Elm 30 in. dia. bear N 41 E 27 lth. dist  
80.50 to Sec. Corner.

---

North Between Sec. 13 of 24

5.50 a Beech 20 in. dia.  
40.00 Let q. Sec. post, from which  
a Sugar 12 in. dia. bear N 34 W 21 lth. dist. of  
a Do. 15 " " " N 53 E 49 " "  
43.50 a Stream 30 lth. (wide Cr. W.  
48.10 a Beech 20 in. dia.  
80.00 Let post Cor. to Sec. 13, 14, 23 of 24 from which  
a Buckeye 12 in. dia. bear N 23 E 22 lth. dist. of.  
a Do. 4 " " " N 18 W 22 " "  
Land timber &c. same as on last mile

---

East On Rand<sup>m</sup>. between Sec. 13 of 24

8.29 a Beech 18 in. dia.  
40.00 Let temp. q. Sec. post  
80.72 Intersect the E. boundary 57 lth. S. of post  
Land timber &c. same as on last mile

---

West Cornetted between Sec. 13 of 24

7.48 a Beech 12 in. dia.  
40.36 Let q. Sec. post at average dist from which  
a Hickory 4 in. dia. bear S 14 E 28 lth. dist. of  
a W. Thorn 5 " " " N 27 W 28 " "  
80.72 to Sec. Corner.

---

North Between Sec. 13 of 14

9.86 an Elm 12 in. dia.  
28.50 a Stream 30 lth. (wide Cr. N. W.  
40.00 Let q. Sec. post, from which  
a Sugar 8 in. dia. bear N 67 E 2 lth. dist. of  
a Beech 23 " " " S 36 W 5 " "  
53.50 an Ash 30 " "  
80.00 Let post Cor. to Sec. 11, 12, 13 of 14, from which



236

T<sup>h</sup> N R 10 E. 2<sup>d</sup>. Mer. Indiana

ch. l. l. h.

an Ash 15 in. dia., brang N 30 E 22 l. h. dist. of  
 a do 6 " " " N 30 W 20 " "  
 Sand timber &c. Same as on last mile  
 September 15<sup>th</sup> 1819

East On Rand<sup>m</sup>, between Sec. 12 & 13

9.75 an Ash 18 in. dia.  
 40.00 Set temp<sup>l</sup>. of Sec. post  
 80.36 Intersected E. boundary 135 l. h. S. of post  
 Sand timber &c. Same as on last mile

West Corrected between Sec. 12 &amp; 13

9.20 an Ash 15 in. dia.  
 40.18 Set of Sec. post at average dist. from which  
 a Sugar 12 in. dia. brang N 30 E 22 l. h. dist. of  
 a do. 10 " " " N 22 W 13 " "  
 80.36 to Section Corner.

North Between Sec. 11 &amp; 12

22.40 at Beech 18 in. dia.  
 40.00 Set of Sec. post, from which  
 an Ash 36 in. dia., brang N 80 E 5 l. h. dist. of  
 at Beech 18 " " " N 36 W 30 " "  
 46.86 a Walnut 12 " "  
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Beech 10 in. dia., brang N 57 W 24 l. h. dist. of  
 a do. 9 " " " N 82 E 15 " "  
 Sand timber &c. Same as on last mile

East On Rand<sup>m</sup>, between Sec. 1 & 12

24.24 an Elm 18 in. dia.  
 40.00 Set temp<sup>l</sup>. of Sec. post  
 79.50 Intersected the E. boundary 55 l. h. S. of post  
 Sand timber &c. Same as on last mile

West Corrected between Sec. 1 &amp; 12

237

T 3 N R 10 E. 2<sup>d</sup> Mer. Indiana

ch 9 lks

2.56 a W. Oak 18 in. dia<sup>r</sup>.

39.75 let of. Sec. post at average dist. from which  
an Ash 14 in. dia<sup>r</sup>. bear N 57 E 6 lks. dist. of  
a Sugar 8 " " " N 13 E 9 " "  
Sand timber &c. Same as on the last mile  
79.50 to Sec. Corner.

North Between Sec. 1 & 2

23.26 a Beech 20 in. dia<sup>r</sup>.

40.00 let of. Sec. post, from which  
a Beech 10 in. dia<sup>r</sup>. bear S 35 E 11 lks. dist. of  
a Do. 15 " " " S 50 W 23 " "

52.47 a Sugar 12 " "

69.08 Intersected the N. boundary 76 lks. E. of post  
let post Cor. to Sec. 1 & 2, from which  
a Hackberry 10 in. dia<sup>r</sup>. bear S 71 E 13 lks. dist. of  
a Buckeye 12 " " " S 59 W 33 " "  
Sand timber &c. Same as on last mile

North Between Sec. 34 & 35

7.32 a Sugar 12 in. dia<sup>r</sup>.

40.00 let of. Sec. post, from which  
a Beech 6 in. dia<sup>r</sup>. bear N 76 W 20 lks. dist. of  
a Sugar 12 " " " S 50 E 11 " "

53.18 an Ash 12 " "

80.00 let post, Cor. to Sec. 26, 27, 34 & 35, from which  
a Beech 10 in. dia<sup>r</sup>. bear N 55 E 39 lks. dist. of  
a Do. 10 " " " S 86 W 40 " "  
Sand 1<sup>st</sup> rate, timber Beech, Walnut, Buckeye, &c.

East On Rand<sup>m</sup>. between Sec. 26 & 35

13.15 an Elm 12 in. dia<sup>r</sup>.

40.00 let temp<sup>y</sup>. of Sec. post

80.10 Intersected the N & S line 37 lks. S. of post  
Sand 1<sup>st</sup> rate, Beech, Poplar, Ash, Sugar &c.

238 N 3 N 10 E 2<sup>d</sup> Mer. Indian

ch. 1<sup>st</sup> m.

West Connected between Secs. 26 & 25

4.16 a Beech 24 in. dia.

40.05 Set of Sec. post, at average dist. from which  
a Sugar 15 in. dia. bears S 76° W 10 lb. dist. of  
an Ash 10 " " " S 83° E 20 " "

80.10 to Sec. Corner Sept. 13<sup>th</sup> 1819

North Between Secs. 26 & 27

15.59 a Sugar 12 in. dia.

40.00 Set of Sec. post, from which  
a W. Oak 15 in. dia. bears S 83° E 10 lb. dist. of  
a Sugar 10 " " " S 60° W 3 " "

47.44 a Cherry 15 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which  
a Sugar 12 in. dia. bears N 53° W 5 lb. dist. of  
an Elm 15 " " " S 27° E 20 " "

Sand timber &c. same as on the last mile

East On Rand<sup>m</sup> between Secs. 23 & 26

11.13 an Ash 18 in. dia.

40.00 Set temp<sup>y</sup>. of Sec. post

80.40 Intersected the N & S line 10 lb. S. of post  
Said 1<sup>st</sup> rate, timber Beech, Poplar, Ash,  
Sugar &c. underg<sup>th</sup> Spruce &c.

West Connected between Secs. 23 & 26

3.30 an Elm 10 in. dia.

40.20 Set of Sec. post at average dist. from which  
an Ash 6 in. dia. bears N 62° E 13 lb. dist. of  
a Buckeye 4 " " " N 75° W 9 " "

80.40 to Sec. Corner.

North Between Secs. 22 & 23

8.52 a Sycamore 60 in. dia.

8.70 a Stream 20 lb. wide Course W.

40.00 Set of Sec. post, from which

239

N 3 N R 10 E. 2<sup>nd</sup> Mer Indiana  
ch. lky

an Ash 18 in. dia. bray S 19 W 17 lky. dist. of  
a Hackberry 18 " " " N 43 E 24 " "  
80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 6 in. dia. bray N 36 E 31 lky. dist. of  
a Do. 10 " " " N 45 W 23 " "  
Sand timber &c. same as on last mile

---

East On Rand<sup>m</sup>. between Sec. 14 & 23

6.85 a Beech 36 in. dia.  
40.00 Set temp<sup>y</sup>. of Sec. post  
53.35 a stream 20 lky. wide Course S.  
80.50 Intersected the N & S. line 5 lky. S. of post  
Sand timber &c. same as on last mile

---

West Corrected between Sec. 14 & 23

4.41 a Beech 15 in. dia.  
40.25 Set of Sec. post, at average dist. from which  
a Sugar 14 in. dia. bray N 30 E 34 lky. dist. of  
a Beech 10 " " " N 30 E 1 link "  
80.50 to Sec. Corner. Sept. 14<sup>th</sup> 1819

---

North Between Sec. 14 & 15

12.70 a Beech 15 in. dia.  
40.00 Set of Sec. post, from which  
a Hickory 15 in. dia. bray N 47 E 7 lky. dist. of  
a Beech 10 " " " N 20 E 6 " "  
49.80 a Do 15 " "  
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a Beech 18 in. dia. bray N 41 E 18 lky. dist. of  
a Sugar 4 " " " N 47 E 5 " "  
Sand, timber &c. same as on last mile

---

East On Rand<sup>m</sup>. between Sec. 11 & 14

6.50 a Beech 15 in. dia.  
40.00 Set temp<sup>y</sup>. of Sec. post  
81.09 Intersected the N & S. line 3 lky. S. of post



240 N 3 N - R 10 E. 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2 mi

Land timber &c. same as on last mile

---

West Corrected Between Sec. 11 & 14

3.48 at Beech 15 in. dia.

40.54 at gr. Sec. post, from which  
an Ash 15 in. dia. - bay S 20 E 20 lbs. dist. of  
a do. 15 " " " N 60 W 14 " "

81.09 to Sec. Corner

---

North Between Sec. 10 & 11

10.45 an Ash 15 in. dia.

40.00 at gr. Sec. post, from which  
a Poplar - in dia. - bay N 34 W 17 lbs. dist. of  
a Beech 6 " " " N 15 E 40 " "

47.32 a do. 12 " "

80.00 at post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 4 in. dia. - bay N 36 E 2 lbs. dist. of  
an Ash 12 " " " S 42 W 21 " "

Land flat & some swampy, Beech, Ash,  
&c. mulling<sup>g</sup>. Spruce

---

East On Rand<sup>m</sup>. between Sec. 2 & 11

26.26 a Sugar 10 in. dia.

40.00 at gr. Sec. post temporarily

80.90 intersected the N & S. line 6 lbs. S. of post  
Land timber &c. same as on last mile

---

West Corrected between Sec. 2 & 11

6.83 a Hickory 18 in. dia.

40.45 at gr. Sec. post at average dist. from which  
a Beech 12 in. dia. - bay N 14 E 24 lbs. dist. of  
a Sugar 15 " " " N 17 E 29 " "

80.90 to Sec. Corner.

---

North Between Sec. 2 & 3

14.00 at Beech 24 in. dia.

# 241

## T3 N R10 E. 2<sup>d</sup>. Mer. Indiana

ch. l. l. m.

- 40.00 Set gr. Sec. post, from which  
a Sugar 10 mi. dist. by N 50 E 12 l. m. dist. of  
a Beech 15 " " " N 63 W 12 " "
- 62.43 a Walnut 24 " "
- 69.62 Intersected N. boundary 21 l. m. E. of post  
Set post Cor. to Sect. 2 of 3, from which  
a Beech 10 mi. dist. by N 29 W 8 l. m. dist. of  
an Ash 6 " " " S 80 E 24 " "  
Land 1<sup>st</sup> rate, timber Beech, Ash, Sugar &c.

### North Between Sec. 33 of 34

- 9.44 a W. Oak 12 mi. dist.
- 40.00 Set gr. Sec. post, from which  
a Sugar 15 mi. dist. by East 19 l. m. dist. of  
an Ash 4 " " " N 42 W 17 " "
- 64.25 a Stream 30 l. m. wide Course W.
- 80.00 Set post Cor. to Sec. 27, 28, 33 of 34, from which  
an Elm 15 mi. dist. by N 23 W 21 l. m. dist. of  
a Do. 12 " " " S 21 E 23 " "  
Land timber &c. same as on the last mile  
September 17<sup>th</sup>. 1819

### East On Land 9<sup>m</sup>. between Sec. 27 of 34

- 5.66 an Ash 18 mi. dist.
- 24.36 a Stream 30 l. m. wide Course S.
- 40.00 Set temp. gr. Sec. post
- 79.50 Intersected the N of S line 105 l. m. S. of post  
Land timber &c. same as on last mile

### West Corrected between Sec. 27 of 34

- 5.62 an Ash 12 mi. dist.
- 39.75 Set gr. Sec. post at average dist. from which  
a Walnut 30 mi. dist. by N 20 W 28 l. m. dist. of  
a Hickory 12 " " " S 8 E 23 " "
- 79.50 to Sec. Corner.

242

S. N. N. W. E. 2<sup>d</sup> Mer, Indianach. 1<sup>st</sup> 1/2

North Between Secs. 27 &amp; 28

23.35 an Elm 36 in. dia.

40.00 ditto gr. See. post, from which  
a Beech 10 in. dia. bray N 38 E 23 lbs. dist. of  
a Do. 12 " " " S 54 W 5 " "

74.50 an Ash 10. " "

80.00 ditto post Cor. to Secs. 21, 22, 27 & 28, from which  
a Sugar 4 in. dia. bray N 11 W 15 lbs. dist. of  
a Beech 10 " " " S 10 E 21 " "  
Land timber &c. Same as on last mileEast On Rand<sup>m</sup>. between Secs. 22 & 27

9.50 a Sugar 12 in. dia.

40.00 ditto temp<sup>y</sup>. gr. See. post

73.50 a stream 30 lbs. wide E. S. W.

80.50 intersected the N. & S. line 100 lbs. N. of post  
Land timber &c. Same as on the last mile

West Corrected between Secs. 22 &amp; 27

12.73 an Elm 20 in. dia.

40.25 ditto gr. See. post at average dist. from which  
a Sugar 10 in. dia. bray East 7 lbs. dist. of  
a Beech 4 " " " S 64 W 12 " "

80.50 to Sec. Corner

North Between Secs. 21 &amp; 22

9.45 a W. Oak 30 in. dia.

40.00 ditto gr. See. post, from which  
a Sugar 12 in. dia. bray N 62 E 20 lbs. dist. of  
a Beech 4 " " " S 10 W 9 " "

48.85 a Do. 24 " "

80.00 ditto post Cor. to Secs. 21, 22, 15 & 16, from which  
a Beech 10 in. dia. bray N 31 W 30 lbs. dist. of  
a Do. 6 " " " S 29 E 8 " "  
Land timber &c. Same as on the last mile

S 13 N 12 W E. 2<sup>d</sup>. Mer. Indiana 243  
ch. lks

East On Rand<sup>m</sup>. between Sec. 15 & 22

17.00 a Sugar 15 mi. dia.

40.00 Let temp<sup>y</sup>. gr. Sec. post

80.50 Intersected the N & S. line 77 lks. S. of post  
Land 2<sup>d</sup>. rate, timber, Oak, Maple, Ash &c.  
underg<sup>o</sup>. Spruce

West Corrected between Sec. 15 & 22

6.40 a Beech 18 mi. dia.

40.25 Let gr. Sec. post at average dist. from which  
a Sugar Oak 60 mi. dia., bearing N 35 E 36 lks. dist. of  
an Ash 12 " " " S 61 W 44 " "

80.50 to Sec. Corner.

North Between Sec. 15 & 16

33.86 a Sugar 10 mi. dia.

40.00 Let gr. Sec. post, from which

a Beech 12 mi. dia., bearing N 79 E 20 lks. dist. of  
a W. Oak 18 " " " S 55 W 24 " "

57.30 a Beech 15 " "

80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which  
an Ash 15 mi. dia., bearing S 81 E 11 lks. dist. of  
a No. 16 " " " S 82 W 20 " "

Land timber &c. Same as on last mile

East On Rand<sup>m</sup>. between Sec. 10 & 15

3.70 a Sugar 36 in. dia.

40.00 Let temp<sup>y</sup>. gr. Sec. post

80.80 Intersected the N & S. line 6 lks. S. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 10 & 15

6.14 a Beech 6 mi. dia.

40.40 Let gr. Sec. post at average dist. from which  
a Sugar 8 mi. dia., bearing N 63 W 14 lks. dist. of  
a Beech 10 " " " S 26 W 24 " "



244 T3 N 10 E, 2<sup>d</sup>. Mer. Indiana  
ch. 1/4  
80.80 to Section Corner

---

North Between Secs. 9 & 10

17.30 an Ash 18 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 18 in. dia., bray S 44 E 10 lks, dist. of  
a Do. 5 " " " N 51 W 24 " "

57.53 an Ash 20 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which  
a Beech 10 in. dia., bray S 65 E 7 lks, dist. of  
a Do 12 " " " N 83 W 18 " "

Land timber &c. same as on last mile  
September 19<sup>th</sup>. 1819

---

East On Rand<sup>m</sup>. between Secs. 3 & 10

9.69 a Poplar 48 in. dia.

40.00 Set tempy. gr. Sec. post

81.10 Intersected the N. of S. line 16 lks. S. of post  
Land timber &c. same as on the last mile

---

West Connected between Secs. 3 & 10

3.97 a Beech 15 in. dia.

40.55 Set gr. Sec. post, at average dist. from which  
a Beech 6 in. dia., bray S 43 E 13 lks, dist. of  
a Poplar 6 " " " N 13 W 16 " "

81.10 to Sec. Corner.

---

North Between Secs. 3 & 4

7.90 a Beech 15 in. dia.

40.00 Set gr. Sec. post, from which  
a Maple 12 in. dia., bray N 17 W 19 lks, dist. of  
a Bur Oak 36 " " " S 46 E 30 " "

49.05 a Beech 30 " "

70.05 Intersected the N. boundary 12 3/4 lks. N. of post  
Set post, Cor. to Secs. 3 & 4, from which  
a Beech 4 in. dia., bray S 68 E 25 lks, dist. of

S 13<sup>th</sup> N 10 E. 2<sup>d</sup>. Mer. Indiana 245  
ch. lks

a Beech 15 in. dia. bray N 62 W 22 lks. dist  
Land timber &c. same as on last mile

---

North Between Secs. 32 & 33

14.00 a stream 40 lks wide Course W.

15.29 a Plum tree 6 in. dia.

40.00 at gr. Sec. post, from which  
a Beech 20 in. dia. bray N 13 E 11 lks. dist.  
a No. 5 " " " S 37 E 19 " "

57.67 an Ash 12 " "

80.00 at post Cor. to Secs. 28, 29, 32 & 33, from which  
a Beech 15 in. dia. bray N 20 W 30 lks. dist.  
a No. 6 " " " S 20 E 13 " "  
Land timber &c. same as on the last mile

---

East On Road, between Secs. 28 & 33

6.17 a Beech 36 in. dia.

40.00 at temp. gr. Sec. post

80.30 intersected the N of S line 5 lks. S. of post  
Land timber &c. same as on last mile

---

West Connected between Secs. 28 & 33

4.46 a Hickory 15 in. dia.

40.15 at gr. Sec. post, from which  
an Elm 12 in. dia. bray S 78 E 35 lks. dist.  
a Beech 20 " " " N 19 W 24 " "

80.30 to Sec. Corner

---

North Between Secs. 28 & 29

24.74 a Hickory 10 in. dia.

40.00 at gr. Sec. post, from which  
a Walnut 48 in. dia. bray N 66 E 19 lks. dist.  
a Beech 36 " " " S 67 W 32 " "

48.44 an Ash 30 " "

80.00 at post Cor. to Secs. 20, 21, 28 & 29, from which  
an Elm 15 in. dia. bray N 36 E 18 lks. dist.

246 T3 N. R10 E, 2<sup>d</sup> Mer. Indiana

ch. 1/2 mi.  
a Beech 7 in. dia.; bray N 83 W 22 1/2 mi. dist. of  
Land 1<sup>st</sup> rate, timber Beech, Sugar, Walnut &c

---

East On Randm. between Sec. 21 & 28

6.76 an Elm 18 in. dia.  
40.00 let temp. q. Sec. post  
79.50 Intersected the N & S. line 17 1/2 mi. S. of post  
Land timber &c. same as on the last mile

---

West Corrected between Sec. 21 & 28

8.26 an Ash 14 in. dia.  
39.75 let q. Sec. post, from which  
an Ash 10 in. dia.; bray N 30 E 17 1/2 mi. dist. of  
a do. 12 " " " S 37 E 20 " "  
79.50 to Sec. Corner.

---

North Between Sec. 20 & 21, T3 N. R10 E

17.44 a Poplar 40 in. dia.  
40.00 let q. Sec. post, from which  
a Beech 15 in. dia.; bray N 54 E 30 1/2 mi. dist. of  
a do. 12 " " " S 34 W 15 " "  
65.00 a Hickory 12 " "  
80.00 let post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 15 in. dia.; bray N 21 E 24 1/2 mi. dist. of  
a do. 15 " " " S 15 E 25 " "  
Land 2<sup>nd</sup> rate, timber Beech, Poplar, Ash &c.

---

East On Randm. between Sec. 16 & 21

6.88 a Swamp Ash 20 in. dia.  
25.00 a Sugar 4 in. dia.  
40.00 let temp. q. Sec. post  
79.20 Intersected the N & S. line 23 1/2 mi. S. of post  
Land timber &c. same as on last mile

---

West Corrected between Sec. 16 & 21

7.50 a Sugar 12 in. dia.

247

N 31° N 210 E, 2<sup>nd</sup> Mer. Indiana  
 ch. 2<sup>nd</sup> 1/2  
 39.60 Set of Sec. post, from which  
 at Beech 12 in. dist, bear S 52 E 13 lb. dist. of  
 a Do. 15 " " " N 9 E 33 " "  
 79.20 to Sec. Corner. September 20<sup>th</sup> 1869.

---

North Between Secs. 8 & 9  
 30.30 an Elm 10 in. dist.  
 40.00 Set of Sec. post, from which  
 at Beech 24 in. dist, bear N 40 W 9 lb. dist. of  
 a Sugar 4 " " " S 56 E 37 " "  
 62.81 at Beech 30 " " "  
 80.00 Set post, Cor. to Secs. 4, 5, 8 & 9, from which  
 at Beech 12 in. dist, bear N 75 W 26 lb. dist. of  
 a Do. 15 " " " S 56 E 19 " "  
 Land 1<sup>st</sup> rate, timber, Beech, Poplar, Walnut &c.  
 underg<sup>rd</sup>, Sprucewood

---

East On Rand<sup>m</sup>, between Secs. 4 & 9  
 7.72 at Beech 12 in. dist.  
 40.00 Set temp. of Sec. post  
 79.39 Intersected the N of Spruce 16 ft S. of post  
 Land 2<sup>nd</sup> rate, timber Beech, Poplar, Ash,  
 Sugar &c. underg<sup>rd</sup>, Spruce.

---

West Corrected between Secs. 4 & 9  
 6.20 a Sugar 10 in. dist.  
 39.69 Set of Sec. post at average dist. from which  
 at Beech 20 in. dist, bear N 37 W 17 lb. dist. of  
 a Do. 10 " " " S 50 E 7 " "  
 79.39 to Sec. Corner.

---

North Between Secs. 4 & 5  
 10.00 at Beech 30 in. dist.  
 40.00 Set of Sec. post, from which  
 at Beech 10 in. dist, bear N 27 W 16 lb. dist. of  
 a Do. 12 " " " S 36 W 18 " "



248 S 13 N R 10 E. 2<sup>d</sup> Mer. Indiana

ch. l. by

50.75 a Beech 20 in. dia.

71.14 Intersected the N. boundary 77 ch. N. of post  
Set post Cor. to Sec. 4 & 5, from which  
a Imp. Oak 13 in. dia., bray South 14 ch. dist. of  
an Elm 24 " " " N 47 W 23 " "  
Land 2<sup>d</sup> rate, timber Beech, Elm & Oak

---

North Between Sec. 31 & 32

13.50 a Sugar 15 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia., bray N 25 E 9 ch. dist. of  
a Do. 12 " " " S 68 W 11 " "

51.77 a Hickory 12 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32 from which  
an Ash 3 in. dia., bray N 60 E 25 ch. dist. of  
a Beech 14 " " " S 80 W 24 " "  
Land level 1<sup>st</sup> rate, timber, Beech, Poplar,  
Ash, Sugar tree &c.

---

East On Randm. between Sec. 29 & 32

15.39 a Sugar 10 in. dia.

40.00 Set temp. q. Sec. post

80.03 Intersected the N. of S. line 35 ch. dist. of  
Land 2<sup>d</sup> rate, timber, Beech, Poplar, Ash &c.

---

West Corrected between Sec. 29 & 32

5.19 an Ash 24 in. dia.

40.03 Set q. Sec. post at average dist. from which  
an Elm 20 in. dia., bray S 83 W 25 ch. dist. of  
a Sugar 9 " " " N 45 E 18 " "

80.03 to Sec. Corner.

---

West Between Sec. 30 & 31

14.45 an Elm 10 in. dia.

40.00 Set q. Sec. post, from which  
a Poplar 4 in. dia., bray S 74 E 18 ch. dist. of

249

S 13 N. R 10 E. 2<sup>d</sup> Mer. Indiana  
 ch. lks  
 an Ash 10 mi. dia. brang N 55 W 30 lks. dist. of  
 51.50 a Beech 18 " "  
 71.40 intersected the N. boundary 23 1/2 lks. S. of post  
 a Hickory 24 mi. dia. brang West — lks. dist. of  
 a Beech 10 " " " S 20 W 2 " "  
 Land timber &c. same as on last mile  
 September 23<sup>d</sup> 1819

---

North Between Secs. 29 & 30  
 13.40 at Buckeye 18 mi. dia.  
 40.00 Set q. Sec. post, from which  
 an Ash 30 mi. dia. brang N 35 W 10 lks. dist. of  
 a Beech 3 " " " S 40 E 9 " "  
 50.12 at Buckeye 14 " "  
 80.00 Set post. Cor. to Secs. 19, 20, 29 & 30, from which  
 a Beech 12 mi. dia. brang N 54 E 20 lks. dist. of  
 a Hackberry 20 " " " S 70 E 11 " "  
 Land 2<sup>d</sup> rate, timber Beech, Ash & Hackberry

---

East Out Range, between Secs. 20 & 29  
 15.25 at Beech 10 mi. dia.  
 40.00 Set temp. q. Sec. post  
 80.04 intersected the N. of S. line 57 lks. N. of post  
 Land 1<sup>st</sup> rate, timber Beech, Poplar, Ash,  
 Sugar tree &c.

---

West Corried between Secs. 20 & 29  
 9.68 an Ash 15 mi. dia.  
 40.02 Set q. Sec. post at average dist. from which  
 a Beech 10 mi. dia. brang S 60 W 3 lks. dist. of  
 a Ho. 15 " " " N 72 E 37 " "  
 80.04 to Sec. Corner.

---

West Between Secs. 19 & 30  
 7.33 an Ash 12 mi. dia.  
 40.00 Set q. Sec. post, from which

250 S 13 N. N 10 E. 2<sup>nd</sup> Mer. Indiana  
ch. 1/2

at Beech 12 in. dia., bray N 78 W 13 lb. dist. of  
a do. 5 " " " N 63 E 13 " "  
65.12 at Beech 15 " "  
72.09 Intersected the West boundary 10 lb. N. of post  
at post Cor. to Sect. 19 of 20, from which  
at Beech 15 in. dia., bray N 55 E 20 lb. dist. of  
a do. 20 " " " N 87 W 30 " "  
Land timber &c. Same as on last mile

---

North Between Sect. 19 of 20

21.50 An Ash 15 in. dia.,  
40.00 at q. Sec. post from which  
at Beech 10 in. dia., bray S 74 E 28 lb. dist. of  
a Sugar 12 " " " N 57 W 18 " "  
54.02 at Beech 30 " "  
80.00 at post Cor. to Sect. 17, 18, 19 of 20, from which  
an Ash 12 in. dia., bray N 60 E 19 lb. dist. of  
an Elm 12 " " " N 69 E 37 " "  
Land timber &c. Same, as on last mile

---

East On Rand<sup>m</sup> between Sect. 17 of 20

10.61 a Sugar 12 in. dia.,  
40.00 at temp. q. Sec. post  
80.09 Intersected the N of S. line 2 lb. N. of post  
Land 2<sup>nd</sup> rate, timber, Beech, Poplar, ash  
Sugar &c. under gr. Sprucewood

---

West Corrected between Sect. 17 of 20

7.87 at Beech 12 in. dia.,  
40.04 at q. Sec. post, from which  
at Beech 14 in. dia., bray N 25 W 7 lb. dist. of  
a do 18 " " " N 60 E 37 " "  
80.09 to Sec. Corner

---

West Between Sect. 18 of 19

9.30 at Beech 12 in. dia.,

# St. N. R. W. E. 2. Mer. Indiana 257

ch. lky  
40.00 Let gr. Sec. post, from which  
a Cherry 10 mi. dia. bray N 22 W 20 lky. dist. of  
a Beech 10 " " " S 5 E 15 "  
72.85 Intersected N. boundary 68 lky. S. of post  
a Beech 24 mi. dia. bray S 10 W 39 lky. dist. of  
a Do. 10 " " " N 20 E 30 "  
Sand timber &c. Same as on last mile

## North Between Sec. 17 & 18

11.84 an Ash 15 mi. dia.  
40.00 Let gr. Sec. post, from which  
a Beech 24 mi. dia. bray N 5 E 30 lky. dist. of  
a Do. 12 " " " S 27 W 13 "  
62.25 an Ash 18 "  
80.00 Let post Cor. to Sec. 17, 8, 17 & 18, from which  
an Ash 16 mi. dia. bray S 35 E 3 lky. dist. of  
a Do. 12 " " " N 42 W 16 "  
Sand timber &c. Same as on last mile

## East On Rand. between Sec. 8 & 17

26.73 a Beech 30 mi. dia.  
40.00 Let tmpr. gr. Sec. post  
80.00 Intersected the N. & S. line 2 lky. S. of post  
Sand timber &c. Same as on the last mile

## West Corrected between Sec. 8 & 17

4.55 a Beech 30 mi. dia.  
40.00 Let gr. Sec. post, at average dist. from which  
a Beech 18 mi. dia. bray West 17 lky. dist. of  
a Sugar 10 " " " S 67 E 35 "  
80.00 to Sec. Corner.

## West Between Sec. 7 & 18

15.00 a Sugar 12 mi. dia.  
40.00 Let gr. Sec. post, from which  
a Sugar 18 mi. dia. bray S 36 W 9 lky. dist. of



252

S 13 N R 10 E. 2<sup>d</sup> Mer Indiana  
ch<sup>l</sup> 1/2

a Cherry 5 mi. dist. bray N 42 E 18 lks. dist. of  
69.24 a Buckeye 12 " "  
74.10 Intersected N. boundary 5 lks. S. of post, /  
Set post Cor. to Sec. 7 of 18, from which  
a Buckeye 12 mi. dist. bray N 81 E 23 lks. dist. of  
an Elm 12 " " " N 49 W 18 " "  
Land timber same as on last mile 1<sup>st</sup> rate

North Between Sec. 7 & 8

11.85 a Beech 12 mi. dist.  
40.00 Set q. set post, from which  
a Beech 15 mi. dist. bray S 19 W 37 lks. dist. of  
an Ash 14 " " " N 4 E 12 " "  
47.40 a Beech 20 mi. dist.  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 10 mi. dist. bray S 83 E 24 lks. dist. of  
a Do. 18 " " " S 82 W 22 " "  
Land 2<sup>d</sup> rate Beech, Poplar, Ash &c

East On Rand<sup>m</sup> between Sec. 5 & 8

7.16 a W. Oak 14 mi. dist.  
40.00 Set temp. q. Sec. post  
80.20 Intersected the N & S. line 15 lks. S. of post  
Land timber &c. same as on the last mile

West Corrected between Sec. 5 & 8

6.35 an Ash 15 mi. dist.  
40.10 Set q. Sec. post at average dist. from which  
a Beech 6 mi. dist. bray N N E - lks. dist. of  
a Sugar 18 " " " S 20 W 41 " "  
80.20 to Sec. Corner

West Between Sec. 6 & 7

9.33 a Sugar 18 mi. dist.  
40.00 Set q. Sec. post, from which  
a Buckeye 10 mi. dist. bray N 32 W 10 lks. dist. of

253

*S 13 N R 10 E 2<sup>d</sup> Mer. Indiana*  
*ch. 1<sup>st</sup>*

a Buckeye 10 in. dia. bray S 22 E 20 lks. dist. of  
 51.10 a W. Oak 24 " "  
 52.00 a stream 100 lks. wide Course S 30 W  
 75.60 Intersected N. boundary 5 lks. N. of post  
 Let post Cor. to Sect. 6 of 7, from which  
 a Walnut 8 in. dia. bray N 85 W 10 lks. dist. of  
 an Ash 5 " " " N 60 E 20 " "  
 (Description of Land &c. Omitted)

*North Between Sect. 5 of 6*

15.25 a Beech 24 in. dia.  
 29.00 a stream 90 lks. wide Course N. W.  
 40.00 Let of. Sec. post from which  
 an Ash 12 in. dia. bray N 51 E 27 lks. dist. of  
 a Hackberry 4 " " " N 42 W 21 " "  
 56.47 a Beech 36 " "  
 70.41 Intersected N. boundary 26 lks. N. of post  
 Let post Cor. to Sect. 5 of 6, from which  
 an Ash 24 in. dia. bray S 38 E 14 lks. dist. of  
 a Do. 10 " " " N 48 W 18 " "  
 Land & 2<sup>nd</sup> Rate Beech, Ash &c.

*North Between Sect. 16 of 17*

40.00 Let of. Sec. post, from which  
 an Elm 20 in. dia. bray N 24 E 17 lks. dist. of  
 a Cherry 16 " " " S 67 W 26 " "  
 80.00 Let post Cor. to Sect. 8, 9, 16 of 17, from which  
 an Ash 20 in. dia. bray N 31 E 12 lks. dist. of  
 a Beech 6 " " " N 82 W 2 " "  
 (Land description of omitted)

*East On Rand<sup>m</sup>. between Sect. 9 of 16*

40.00 Let temp<sup>y</sup>. of Sec. post  
 79.30 Intersected the N & S line - lks. - of post  
 (Description of land &c. omitted)

254 Twp 3 N. R. 10 E. 2<sup>d</sup> Mer. Ind.

ch. 16

West Cornered between Sec. 9 & 16

39.65 bet q. Sec. post at average dist. from which  
a Beech 20 m. dist. bears N 28 E 15 lks. dist. of  
a Do. 5 " " " 1689 18 " "

79.30 to Sec. Corner.

Surveyed By

M. R. Laughlin, L.S.

---

Compd.

I certify that the foregoing transcript of field notes  
of Township N. 13 North, Range N. 10 E. 2<sup>d</sup> Mer.  
Indiana, has been compared with the original  
notes in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Nov. 3<sup>d</sup> 1842

William Johnston  
Sur. Genl.